

Godrej Industries Limited

LUBSTRIC 995 (RUBBER GRADE STEARIC ACID)

SPECIFICATIONS:

Rev. No. 01, dtd. 01/08/2015

CARBON CHAIN DISTRIBUTION BY GC (%)

VARIABLE

PARAMETERS	SPECIFICATIONS
Appearance	Light cream to brown flakes
Odour	Characteristic
Colour 1" Lovibond Cell – Red	10.0 Max
Colour 1" Lovibond Cell – Yellow	50.0 Max
Titre OC	50.0 - 60.0
Acid Value, mgm KOH/gm.	195.00 - 210.00
Iodine Value, g I2/100gms	9.0 Max
Saponification Value, mgm KOH/gm.	196.00 - 215.00
% Moisture	0.5 Max
% Ash	0.1 Max

Reason for Revision: Acid Value & Saponification Value revised. Change in manufacturing site (Vikhroli to Ambernath)

- Manufactured at Ambernath & Valia
- Packing : 25 Kg HDPE Laminated bags
- Broad Uses: Rubber & Tyres
- Kosher Certified